


$$2^{n|n} \left(\begin{array}{c} \mathbb{C} \\ \mathbb{h} \end{array} \right) \cong \mathbb{1}$$

$$2^{n|n} \left(\begin{array}{c} \mathbb{C} \\ \mathbb{h} \end{array} \right) \cong \mathbb{1}$$

$$\underline{\gamma}' = \underline{\gamma} \underline{\gamma}' = \underline{\gamma} \underline{\gamma}'$$

 $\mathbb{1}$



$$\underline{\gamma}' = \underline{\gamma} \underline{\gamma}' = \underline{\gamma} \underline{\gamma}'$$

$$\underline{\gamma}' \mathbb{1} = \underline{\gamma} \underline{\gamma}' \mathbb{1}$$

$$\underline{\gamma} \mathbb{1} = \underline{\gamma} \underline{\gamma}' \mathbb{1}$$

$$\underline{\gamma}' \mathbb{1} = \underline{\gamma} \underline{\gamma}' \mathbb{1}$$

$$\underline{\gamma} \mathbb{1} = \underline{\gamma} \underline{\gamma}' \mathbb{1}$$



$$\underline{\Gamma}' = \begin{cases} \underline{\alpha} \underline{\beta}' \\ \underline{\gamma} \underline{\delta}' \end{cases} \quad \underline{\Gamma}^J = \begin{cases} \underline{\alpha} \underline{\beta}^J \\ \underline{\gamma} \underline{\delta}^J \end{cases}$$

$$\begin{cases} \underline{\alpha}' = \underline{\gamma} \underline{\beta}' \\ \underline{\delta}' = \underline{\gamma} \underline{\delta}' \end{cases} \quad \begin{cases} \underline{\alpha}^J = \underline{\gamma} \underline{\beta}^J \\ \underline{\delta}^J = \underline{\gamma} \underline{\delta}^J \end{cases}$$

$$\begin{cases} \underline{\alpha}' = \underline{\alpha} \underline{\beta}' \\ \underline{\delta}' = \underline{\gamma} \underline{\delta}' \end{cases} \quad \begin{cases} \underline{\alpha}^N = \underline{\alpha} \underline{\beta}^N \\ \underline{\delta}^N = \underline{\gamma} \underline{\delta}^N \end{cases}$$

$$\underline{\gamma}' = \begin{cases} \underline{\alpha} \underline{\beta}' \\ \underline{\gamma} \underline{\delta}' \end{cases}$$

$$\underline{\gamma}^N = \begin{cases} \underline{\alpha} \underline{\beta}^N \\ \underline{\gamma} \underline{\delta}^N \end{cases}$$

$$\begin{cases} \underline{\alpha}' = \underline{\alpha} \underline{\beta}' = \underline{\gamma} \underline{\alpha}' \\ \underline{\delta}' = \underline{\gamma} \underline{\delta}' = \underline{\gamma} \underline{\delta}' \end{cases} \quad \begin{cases} \underline{\alpha}^J = \underline{\alpha} \underline{\beta}^J = \underline{\gamma} \underline{\alpha}^J \\ \underline{\delta}^J = \underline{\gamma} \underline{\delta}^J = \underline{\gamma} \underline{\delta}^J \end{cases}$$

