


$$\begin{array}{ccc} \mathbb{H} & \xrightarrow{\quad \Gamma \quad} & \mathbb{C}^{n/n} \\ & \searrow & \\ & \mathbb{L} & \\ & \swarrow & \\ \mathbb{H} & & \mathbb{C}^{n/n} \end{array}$$

$$\mathbb{L} = \underbrace{\mathbb{L} \Gamma \Gamma}$$



$$\mathbb{L} = \underbrace{\mathbb{L} \Gamma \Gamma} = \begin{cases} \underbrace{\mathbb{L} h_2^0 h_2^1} \\ \underbrace{\mathbb{L} L \Gamma} \end{cases}$$

$$\mathbb{L} = \begin{cases} \underbrace{\mathbb{L} h_2^0 h_2^1} \\ \underbrace{\mathbb{L} L \Gamma} \end{cases}$$

$$\mathbb{L} \Gamma = \begin{cases} \underbrace{\mathbb{L} h_2^0 h_2^1} = \underbrace{\mathbb{L} h_2^0 h_2^1} \\ \underbrace{\mathbb{L} L \Gamma} = \underbrace{\mathbb{L} L \Gamma} \end{cases}$$


$$\mathbb{L} \Gamma = \begin{cases} \underbrace{\mathbb{L} h_2^0 h_2^1} = \underbrace{\mathbb{L} h_2^0 h_2^1} \\ \underbrace{\mathbb{L} L \Gamma} = \underbrace{\mathbb{L} L \Gamma} \end{cases}$$

$$\begin{cases} \mathbb{L} h_2^0 = \mathbb{L} \Gamma h_2^0 = \mathbb{L} h_2^0 \Gamma \\ \mathbb{L} L = \mathbb{L} \Gamma L = \mathbb{L} L \Gamma \end{cases}$$


$$\begin{cases} \mathbb{L} h_2^1 = \mathbb{L} \Gamma h_2^1 = \mathbb{L} h_2^1 \Gamma \\ \mathbb{L} L = \mathbb{L} \Gamma L = \mathbb{L} L \Gamma \end{cases}$$

$$\begin{cases} \mathbb{L} h_2^0 = \mathbb{L} \Gamma h_2^0 = \mathbb{L} h_2^0 \Gamma \\ \mathbb{L} L = \mathbb{L} \Gamma L = \mathbb{L} L \Gamma \end{cases}$$

$$\begin{cases} \mathbb{L} h_2^1 = \mathbb{L} \Gamma h_2^1 = \mathbb{L} h_2^1 \Gamma \\ \mathbb{L} L = \mathbb{L} \Gamma L = \mathbb{L} L \Gamma \end{cases}$$




$${}^h\mathcal{A} = {}^h\mathcal{A}_i \dots \eta \dots {}^h\mathcal{A}_i^*$$



$$\mathcal{A} = \underbrace{\mathcal{A} \mathcal{A}_h} {}^h\mathcal{A}$$

$${}^h\mathcal{A} \mathcal{A} = {}^h\mathcal{A}$$

$${}^z\mathcal{A} \mathcal{A} = {}^z\mathcal{A}$$



$$\begin{aligned}
 \mathbb{L} &= \begin{cases} \mathbb{L}^{h_1} h_1 \\ \mathbb{L}^{h_2} h_2 \end{cases} \\
 \begin{cases} \mathbb{L}^{h_1} &= \mathbb{L}^{h_1^o} h_1^l \\ \mathbb{L}^{h_2} &= \mathbb{L}^{h_2^o} h_2^l \end{cases} \\
 \mathbb{L}^{h_1} &= \begin{cases} \mathbb{L}^{h_1^r} h_1^r \\ \mathbb{L}^{h_1^l} h_1^l \end{cases}
 \end{aligned}$$

$$\begin{cases} \underline{\mathbb{L}}^{h_2} = \underline{\mathbb{L}}^{h_1} \underline{h}_2 \\ \underline{\mathbb{L}}^{\mathbb{L}} = \underline{\mathbb{L}}_{\underline{b}}^{h_2} \end{cases}$$

$$\begin{cases} \underline{b}^{h_1} = \underline{b}_{\underline{b}}^{h_2} \\ \underline{b}^{\mathbb{L}} = \underline{b}_{\underline{b}}^{h_2} \end{cases}$$

$$\begin{cases} \underline{h}_1 = \underline{h}_1 \underline{h}_1 \\ \underline{\mathbb{L}} = \underline{\mathbb{L}} \underline{\mathbb{L}} \end{cases}$$

