

$$\mathfrak{S}|\mathfrak{h}^+ = \frac{\mathfrak{b}\in\mathfrak{h}^+\diagdown\mathfrak{h}}{\mathfrak{b}\text{ voll}}$$

$$\mathfrak{S}|\mathfrak{h}^+ \rightrightarrows \mathfrak{S}|\mathfrak{h}^+ = \frac{\mathfrak{b}\in\mathfrak{S}|\mathfrak{h}^+}{\bigvee\limits_{\mathfrak{h}^+\supset K\text{ cpt}}\bigwedge\limits_{\mathfrak{h}\in\mathfrak{h}^+\llcorner K}\mathfrak{b}_{\mathfrak{h}}=0}\text{ cpt trg}$$

$$\begin{cases} \mathfrak{b}=\sum_i P^i\frac{\partial}{\partial x^i}+\sum_j Q^j\frac{\partial}{\partial \xi^j}\\ P^i\in\Lambda_{m|n}\ni Q^j \end{cases}$$

$$\mathfrak{b}=\mathfrak{b}^\cdot\frac{\partial}{\partial \mathsf{L}^\cdot}=\mathfrak{b}^\cdot\frac{\partial}{\partial \mathsf{L}^\cdot}+\mathfrak{b}^\cdot\frac{\partial}{\partial \mathsf{L}^\cdot}$$