

$$\psi\in \underline{\mathsf{h}}^\infty \underline{\mathsf{h}}^{\nabla \mathbb{C}^+}$$

$$\mathfrak{d}_{\psi}\mathcal{D}\left(\psi{:}\underline{\psi}\right)=\frac{i}{2}\gamma\,\mathbf{x}\,\underline{\psi}-m\psi\Rightarrow\mathfrak{d}_{\underline{\psi}}\mathcal{D}\left(\psi\right)=\frac{i}{2}\eth\psi-m\psi$$

$$\gamma\in \underline{\mathsf{h}}^\sharp\mathbf{x}\mathfrak{U}|_{\underline{\mathsf{h}}} \nabla \mathbb{C}^+$$

$$\underline{\psi}\in \underline{\mathsf{h}}^\sharp\mathbf{x}\,\underline{\mathsf{h}}\nabla \mathbb{C}^+\Rightarrow \gamma\,\mathbf{x}\,\underline{\psi}\in \mathsf{h}\mathbf{x}\,\underline{\mathsf{h}}\nabla \mathbb{C}^+$$

$$\mathfrak{d}_{\underline{\psi}}\mathcal{D}\left(\psi{:}\underline{\psi}\right)=-\frac{i}{2}\gamma\cdot\psi\Rightarrow\mathfrak{d}_{\underline{\psi}}\mathcal{D}\left(\psi\right)=-\frac{i}{2}\gamma\cdot\psi$$

$$\mathfrak{d}_{\underline{\psi}}\mathcal{D}\left(\psi{:}\underline{\psi}\right)\,\mathbf{x}\,\mathbf{x}\mathbf{x}\dot{\underline{\psi}}=\partial_\varepsilon^0\mathcal{D}\left(\psi{:}\underline{\psi}+\varepsilon\dot{\underline{\psi}}\right)=\frac{1}{2}\left(\gamma\cdot\psi\right)\mathbf{x}\,\mathbf{x}\mathbf{x}\left(i\dot{\underline{\psi}}\right)=-\frac{1}{2}\left(i\gamma\cdot\psi\right)\mathbf{x}\,\mathbf{x}\mathbf{x}\dot{\underline{\psi}}$$

$${}^*\!d\,\mathfrak{d}_{\underline{\psi}}\mathcal{D}\left(\psi\right)=\frac{i}{2}\eth\psi$$

$$0=\mathfrak{d}_{\psi}\mathcal{D}\left(\psi\right)+{}^*\!d\,\mathfrak{d}_{\underline{\psi}}\mathcal{D}\left(\psi\right)=\frac{i}{2}\eth\psi-m\psi+\frac{i}{2}\eth\psi=\left(i\eth-m\right)\psi$$