



$$\mathbb{K} \mathfrak{A}_h \times_h \ni \mathbf{b}_h$$





$$\mathbf{b}_h = \underbrace{\mathbf{b}_h}_{^h\gamma_1} \mathbf{b}_h$$




$$\begin{cases} \underline{\mathbf{b}}_h^h \underline{\gamma} = \underline{\mathbf{b}}_h^h \underline{\gamma} \\ \underline{\mathbf{b}}_h^h \underline{q} = \underline{\mathbf{b}}_h^h \underline{q} \end{cases}$$

$$\mathbf{b}_h \mathbf{h}_\gamma = \begin{cases} \underbrace{\mathbf{b}_h \mathbf{h}_\gamma}_{\mathbf{b}_h \mathbf{h}_\gamma} \\ \underbrace{\mathbf{b}_h \mathbf{h}_\gamma}_{\mathbf{b}_h \mathbf{h}_\gamma} \end{cases}$$

$$\mathbf{b}_h = \begin{cases} \underbrace{\mathbf{b}_h}_{\mathbf{q}_h} \mathbf{z}_h \\ \underbrace{\mathbf{b}_h}_{\mathbf{q}_h} \mathbf{z}_h \end{cases}$$



$$\mathbf{b}_h = \underbrace{\mathbf{b}_h \gamma_h}_{\mathbf{b}_h \beta_h}$$



$$\begin{cases} \underline{\mathbf{b}}_h^{^h\gamma'} = \underline{\mathbf{b}}_h^{^h\gamma'^{^h\alpha'}} \\ \underline{\mathbf{b}}_h^{^h\eta'} = \underline{\mathbf{b}}_h^{^h\eta'^{^h\alpha'}} \end{cases}$$

$$\underline{\mathbf{b}}_h^{^h\gamma'} = \begin{cases} \underline{\mathbf{b}}_h^{^h\gamma'^{^h\beta'}} \\ \underline{\mathbf{b}}_h^{^h\eta'^{^h\beta'}} \end{cases}$$

$$\underline{\mathbf{b}}_h = \begin{cases} \underline{\mathbf{b}}_h^{^h\gamma'^{^h\delta'}} \\ \underline{\mathbf{b}}_h^{^h\eta'^{^h\delta'}} \end{cases}$$

